



MEGAcel III ME

Product Overview

- Individually tested for certified performance
- AAF Filtration Technology media combines ultra-high efficiency with lowest pressure drop
- AAF's high tensile strength filter media is up to 84x stronger than micro fibreglass
- Highly resistant to corrosive environments (acids, alkalis and organic substances)
- Near-zero off-gassing properties



Specification

EN1822	H13, H14
Filter Depth (mm)	292
Media Type	Membrane
Frame Material (Standard)	Galvanised Steel
Frame Material (Optional)	Stainless Steel, Aluminium
Separator Style	Hot Melt
Gasket Material (Standard)	PU
Gasket Material (Optional)	Neoprene, EPDM
Gasket Position (Standard)	Downstream
Gasket Position (Optional)	Both Sides, Upstream
Special Size Available	No
Antimicrobial Available	No
Header Type	None Header
Recommended Final Resistance	750 Pa
Max Operating Temperature	70°C

Product Information

Part Number	Actual Size mm (H x W x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
H13 ME			
M430-206-004	610 x 305 x 292	2,000	150
M430-206-005	610 x 610 x 292	4,000	
H14 ME			
M431-206-004	610 x 305 x 292	2,000	150
M431-206-005	610 x 610 x 292	4,000	